

Chain Link Handcuffs



Hinged Handcuffs



Leg Irons



Waist Chains



High Security Restraints

PEERLESS® Handcuff Company

Setting the Standard
Since 1914



Peerless® Handcuff Company

Setting the Standard Since 1914

Peerless® Handcuff Company was established in 1914 by James Milton Gill in Springfield, Massachusetts. Nearly 100 years later the classic swing through design of the original Peerless® handcuff continues to be an industry standard. Now in its fourth generation, Peerless® Handcuff Company remains a family business committed to producing the finest restraints available.

Peerless® Handcuff Company offers a full range of metallic restraint products and accessories. These products are used by law enforcement, correction and military agencies throughout the US and abroad.

Please call 800-732-3705 or email at info@peerless.net with any questions concerning our products. Information is available through our website at www.peerless.net.

Introducing New "C" Series Models

New for the summer of 2013 Peerless® is pleased to introduce our improved "C" Series restraints. The C Series models incorporate a redesigned internal lock mechanism.

The new lock design increases tamper resistance, gives a smoother ratcheting action and offers greater durability.

Where applicable all C Series models have been designed to meet or exceed the tough National Law Enforcement Technology Center (NLETC) – National Institute of Justice (NIJ) - Metallic Handcuff Standard - 0307.01. The Model 700C - Chain Link Handcuff and Model 801C – Hinged Handcuff have been inspected and certified by the NLETC as meeting NIJ Handcuff Standard - 0307.01.

The new C Series design will be integrated into all 700 and 800 series restraints. All C Series restraints will operate in the same way and use the same key as previous Peerless® models. All C Series restraints will be covered by our lifetime warranty for manufacture defects.

Also new, Peerless® Leg Irons have been redesigned to be stronger and more tamper resistant. Features include all steel construction, spun rivets and push pin double lock capability. The 15" chain effectively limits range of motion. All Peerless® Leg Irons are made to meet or exceed the National Institute of Justice standards for workmanship, mechanical strength, tamper resistance and corrosion resistance.



Chain Link Handcuff



The classic design is new and improved. Our most popular design now features an improved internal lock mechanism for increased tamper resistance, smoother ratcheting action and greater durability. Incorporating spun rivet construction, push pin double lock capability and nickel finish. Two keys supplied. The Model 700C is National Institute of Justice 0307.01 certified and comes with a lifetime warranty for manufacture defects. Available in the following finishes: nickel, black oxide, red, blue, orange, yellow, and pink.

• Double Locking • Two Keys Supplied • Made in USA

Two Keys Supplied • Made in USA

Tools 750BO 750BP 750BN 750BY 750BR

Chain Link Handcuff - Imported



A money saver. The P010 is intended to fit increasingly tight budgets without compromising quality and safety. Designed and tested to meet the tough demands often placed on this critical piece of equipment the P010 is manufactured in Korea at an ISO/TS 16949 and ISO 14001 certified facility using high quality materials and component parts. National Institute of Justice 0307.01 certified. The P010 is standard sized, double locking, with two keys supplied. It comes with a lifetime warranty for manufacture defects.

Double Locking

• Two Keys Supplied

• Made in Korea

Oversize Chain Link Handcuff



The Model 702C is designed specifically for larger individuals or special security applications. This oversized cuff has a 20% larger inside perimeter then the Model 700C. The Model 702C features an improved internal lock mechanism for increased tamper resistance, smoother ratcheting action and greater durability. It meets or exceeds the National Institute of Justice standards for workmanship, mechanical strength, tamper resistance and corrosion resistance. It comes with a lifetime warranty for manufacture defects.

• Double Lo	cking	• Two K	eys Supplied	• Ma	ade in USA
0	0	0	0		0
702C	752CO	752CP	752CN	752CY	752CR

Model	Material	Finish	Weight	Max. Overall Length	Max. Length between Cuffs	Max. Diam. (First Tooth)	Min. Opening	Max. Internal Circumference	Min. Internal Circumference	Min. Diam. (Last Tooth)	
700C	Carbon Steel	Nickel	10 oz / 283 gms	8.9 in / 227 mm	2.0 in / 51 mm	3.0 in / 76 mm	2.0 in / 51 mm	8.3 in / 211 mm	5.9 in / 150 mm	1.9 in / 48 mm	
701C	Carbon Steel	Black Oxide	10 oz / 283 gms	8.9 in / 227 mm	2.0 in / 51 mm	3.0 in / 76 mm	2.0 in / 51 mm	8.3 in / 211 mm	5.9 in / 150 mm	1.9 in / 48 mm	
750B	Carbon Steel	Color Plated	10 oz / 283 gms	8.9 in / 227 mm	2.0 in / 51 mm	3.0 in / 76 mm	2.0 in / 51 mm	8.3 in / 211 mm	5.9 in / 150 mm	1.9 in / 48 mm	
P010	Carbon Steel	Nickel	10 oz / 283 gms	8.9 in / 227 mm	2.0 in / 51 mm	3.0 in / 76 mm	2.0 in / 51 mm	8.3 in / 211 mm	5.9 in / 150 mm	1.9 in / 48 mm	
Overs	Oversize Handcuff										
702C	Carbon Steel	Nickel	12 oz / 340 gms	10.5 in / 266 mm	2.0 in / 51 mm	3.5 in / 90 mm	2.75 in / 70 mm	10 in / 254 mm	7.5 in / 191 mm	2.4 in / 60 mm	
752C	Carbon Steel	Color Plated	12 oz / 340 gms	10.5 in / 266 mm	2.0 in / 51 mm	3.5 in / 90 mm	2.75 in / 70 mm	10 in / 254 mm	7.5 in / 191 mm	2.4 in / 60 mm	

Hinged Handcuff



The hinged design provides additional restraint by more effectively restricting hand and arm movement. All hinged models features an improved internal lock mechanism for increased tamper resistance, smoother ratcheting action and greater durability. These models incorporate spun rivet construction and push pin double lock capability. Two keys supplied. The Model 801C is National Institute of Justice 0307.01 certified and comes with a lifetime warranty for manufacture defects. Available in the following finishes: nickel, black oxide, red, blue, orange, yellow, and pink.

• Double	Locking	• Two	o Keys Su	• Mad	• Made in USA		
OHO OHO		0	0	0		0	
801C	802C	850BO	850BP	850BN	850BY	850BR	

Model	Material	Finish	Weight	Max. Overall Length	Max. Length between Cuffs	Max. Diam. (First Tooth)	Min. Opening	Max. Internal Circumference	Min. Internal Circumference	Min. Diam. (Last Tooth)
801C	Carbon Steel	Nickel	12 oz / 340 gms	8.6 in / 218 mm	.43 in / 11 mm	3.23 in / 82 mm	2.2 in / 56 mm	9.1 in / 231 mm	6.4 in / 163 mm	1.9 in / 48 mm
802C	Carbon Steel	Black Oxide	12 oz / 340 gms	8.6 in / 218 mm	.43 in / 11 mm	3.23 in / 82 mm	2.2 in / 56 mm	9.1 in / 231 mm	6.4 in / 163 mm	1.9 in / 48 mm
850B	Carbon Steel	Color Plated	12 oz / 340 gms	8.6 in / 218 mm	.43 in / 11 mm	3.23 in / 82 mm	2.2 in / 56 mm	9.1 in / 231 mm	6.4 in / 163 mm	1.9 in / 48 mm

Leg Iron



Model 703C & 753C - Leg Iron

The Peerless® standard size Leg Irons have been redesigned to be stronger and more tamper resistant. Features include all steel construction, spun rivets, 21 locking positions and push pin double lock capability. The 15" chain effectively limits range of motion. The Model 703 and Model 753 are made to meet or exceed the National Institute of Justice standards for workmanship, mechanical strength, tamper resistance and corrosion resistance. Lifetime warranty for manufacture defects and two keys supplied. Available in the following finishes: nickel, red, blue, orange, yellow, and pink. Made in USA.

Double Locking

• Two Keys Supplied

• Made in USA

Model 705C & 755C - Oversize Leg Iron

The Peerless® oversize Leg Iron models have been redesigned to be stronger and more tamper resistant. The Model 705C and 755C are designed specifically for larger individuals. It has a 3.2 inch opening and a maximum inside perimeter approximately 20% larger then our standard size Leg Iron. The Model 705C and 755C feature all steel construction, spun rivets, 25 locking positions and push pin double lock capability. The 15" chain effectively limits range of motion. Lifetime warranty for manufacture defects and two keys supplied. Available in the following finishes: nickel, red, blue, orange, yellow, and pink. Made in USA.

· Double Locking • Two Keys Supplied Made in USA

Model	Material	Finish	Weight	Max. Overall Length	Max. Length between Cuffs	Max. Diam. (First Tooth)	Min. Opening	Max. Internal Circumference	Min. Internal Circumference	Min. Diam. (Last Tooth)
703C	Carbon Steel	Nickel	16 oz / 454 gms	24.25 in / 616 mm	16.0 in / 406 mm	3.5 in / 90 mm	2.75 in / 70 mm	10.25 in / 260 mm	7.75 in / 197 mm	2.4 in / 60 mm
753C	Carbon Steel	Color Plated	16 oz / 454 gms	24.25 in / 616 mm	16.0 in / 406 mm	3.5 in / 90 mm	2.75 in / 70 mm	10.25 in / 260 mm	7.75 in / 197 mm	2.4 in / 60 mm
Ove	rsize Leg I	ron								
705C	Carbon Steel	Nickel	21 oz / 595 gms	25.5 in / 648 mm	15.5 in / 394 mm	4.4 in / 112 mm	3.2 in / 81 mm	12.25 in / 311 mm	9.25 in / 235 mm	2.9 in / 73 mm
755C	Carbon Steel	Color Plated	21 oz / 595 gms	25.5 in / 648 mm	15.5 in / 394 mm	4.4 in / 112 mm	3.2 in / 81 mm	12.25 in / 311 mm	9.25 in / 235 mm	2.9 in / 73 mm

High Security Restraints

Peerless® high security products are designed for high risk prisoner restraint and transport situations. These products do not operate with a standard handcuff key. The restraints incorporate standard product with a MEDECO® or ASSA® Desmo high security lock system and aluminum housing. Both MEDECO® and ASSA® Desmo use restricted key control systems to prevent unauthorized key duplication. Multiple sets can be ordered with the same key code or different key codes.

Now available with the new Dead Bolt Security option. Dead Bolt Security compliments the standard lock with an additional locking position for added security. When engaged, the Dead Bolt feature helps to secure the double lock against brute force and finessed picking and shimming attacks. The Dead Bolt option is only available with new or existing MEDECO® style key plans.

High security locks are available as chain link handcuff, leg iron and waist chain. Other features include improved internal lock mechanism, spun rivet construction and double lock capability. All products come with two keys, a double lock activator, and a lifetime warranty for manufacture defects. Made in USA.



MEDECO® is a registered trademark of Medico High Security Locks. ASSA® Desmo is a registered trademark of Abloy Security, Inc.

Model	Material	Finish	Weight	Max. Overall Length with Chain	Max. Length between Cuffs	Max. Diam. (First Tooth)	Min. Opening	Max. Internal Circumference	Min. Internal Circumference	Min. Diam. (Last Tooth)
710C	Carbon Steel/Alum	Nickel	14 oz / 396 gms	8.9 in / 227 mm	2.0 in / 51 mm	3.0 in / 76 mm	2.0 in / 51 mm	8.3 in / 211 mm	5.9 in. / 150 mm	1.9 in / 48 mm
702CHS	Carbon Steel/Alum	Nickel	16 oz / 454 gms	10.5 in / 266 mm	2.0 in / 51 mm	3.6 in / 92 mm	2.75 in / 70 mm	10 in / 254 mm	7.5 in / 191 mm	2.5 in / 65 mm
703CHS	Carbon Steel/Alum	Nickel	19 oz / 539 gms	24.25 in / 616 mm	16.0 in / 406 mm	3.5 in / 90 mm	2.75 in / 70 mm	10 in / 254 mm	7.5 in / 191 mm	2.4 in / 60 mm
7002CHS	Carbon Steel/Alum	Nickel	16 oz / 454 gms	10.5 in / 266 mm	2.0 in / 51 mm	3.5 in / 90 mm	2.75 in / 70 mm	10 in / 254 mm	7.5 in / 191 mm	1.9 in / 48 mm
7003CHS	Carbon Steel/Alum	Nickel	33 oz / 935 gms	n/a	2.0 in / 51 mm	3.0 in / 76 mm	2.0 in / 51 mm	8.3 in / 211 mm	5.9 in. / 150 mm	1.9 in / 48 mm

Special Situation Restraints & Custom Chain Work



Model	Material	Finish	Weight	Max. Overall Length with Chain	Max. Length between Cuffs	Max. Diam. (First Tooth)	Min. Opening	Max. Internal Circumference	Min. Internal Circumference	Min. Diam. (Last Tooth)
700C-6X	Carbon Steel	Nickel	10.5 oz / 298 gms	12.5 in / 317.5 mm	5.3 in / 135 mm	3.0 in / 76 mm	2.0 in / 51 mm	8.3 in / 211 mm	5.9 in / 150 mm	1.9 in / 48 mm
702C-6X	Carbon Steel	Nickel	14 oz / 396 gms	14.25 in / 362 mm	5.3 in / 135 mm	3.5 in / 90 mm	2.75 in / 70 mm	10 in / 254 mm	7.5 in / 191 mm	2.4 in / 60 mm
700CTC-32	Carbon Steel	Nickel	2.2 lbs / 1 kg	n/a						
Handcuff:	Carbon Steel	Nickel	n/a	n/a	3.5 in / 89 mm	3.0 in / 76 mm	2.0 in / 51 mm	8.3 in / 211 mm	5.9 in / 150 mm	1.9 in / 48 mm
Leg Iron:	Carbon Steel	Nickel	n/a	n/a	16.25 in / 413 mm	3.5 in / 90 mm	2.75 in / 70 mm	10 in / 254 mm	7.5 in / 191 mm	2.4 in / 60 mm

Waist Chain



Model 7002C Waist Chain - Separated Cuffs / 54" Chain

The Model 7002C Waist Chain is designed for special security situations. The Model 7002C has one NIJ approved Model 700C handcuff positioned at each hip allowing for either parallel arm or cross arm handcuffing. The special 54 inch heat treated steel chain includes padlock rings for waist size adjustments. Now with an improved internal lock mechanism for increased tamper resistance, smoother ratcheting action and greater durability. Lifetime warranty for manufacture defects.

Model 7002C-XL Waist Chain - Separated Cuffs / 72" Chain Same design as the Model 7002C with added chain (72 inches) for larger waist size adjustments.

Model 7002C-OS Waist Chain - Separated XL Cuffs / 54" Chain Same design as the Model 7002C with oversize handcuffs positioned at each hip.

Model 7003C Waist Chain - Linked Cuffs / 54" Chain

The Model 7003C Waist Chain is designed for special security situations. The Model 7003C has one NIJ approved Model 700C handcuff positioned at the navel allowing for limited use of the hands. The special 54 inch heat treated steel chain includes padlock rings for waist size adjustments. Now with an improved internal lock mechanism for increased tamper resistance, smoother ratcheting action and greater durability Lifetime warranty for manufacture defects.

Double Locking
 Two Keys Supplied
 Made in USA

Security Chain - PSC60 & PSC78

The Peerless Security Chain is designed for corrections, transport and courtroom situations. When used in conjunction with a set of handcuffs this simple chain quickly converts into a secure waist restraint. The specially designed end link is compatible with all commonly used handcuffs - Chain Link or Hinged. The end link can also be slotted into any link on the chain and will fit "Black" and "Blue" style security boxes. Available in 60 inch and 78 inch length. Made in USA.

Model	Material	Finish	Weight	Max. Overall Length	Max. Length between Cuffs	Max. Diam. (First Tooth)	Min. Opening	Max. Internal Circumference	Min. Internal Circumference	Min. Diam. (Last Tooth)
7002C	Carbon Steel	Nickel	29 oz / 822 gms	n/a	n/a	3.0 in / 76 mm	2.0 in / 51 mm	8.3 in / 211 mm	5.9 in / 150 mm	1.9 in / 48 mm
7002C-XL	Carbon Steel	Nickel	31 oz / 878 gms	n/a	n/a	3.0 in / 76 mm	2.0 in / 51 mm	8.3 in / 211 mm	5.9 in / 150 mm	1.9 in / 48 mm
7002C-0S	Carbon Steel	Nickel	33 oz / 935 gms	n/a	n/a	3.5 in / 90 mm	2.75 in / 70 mm	10 in / 254 mm	7.5 in / 191 mm	2.4 in / 60 mm
7003 C	Carbon Steel	Nickel	29 oz / 822 gms	n/a	2.0 in / 51 mm	3.0 in / 76 mm	2.0 in / 51 mm	8.3 in / 211 mm	5.9 in / 150 mm	1.9 in / 48 mm
PSC60	Carbon Steel	Nickel	20 oz / 566 gms	60 in / 1524 mm	n/a	n/a	n/a	n/a	n/a	n/a
PSC78	Carbon Steel	Nickel	30 oz / 850 gms	78 in / 1981 mm	n/a	n/a	n/a	n/a	n/a	n/a

Keys

Standard Handcuff Key

Standard size handcuff keys. Small and light weight. Compatible will most standard type handcuff locking mechanisms.

Oversize Handcuff Key

A high quality extra large key designed to make double locking and unlocking restraints faster and easier. The extra long aluminum barrel is oversized and knurled for easy handling. The flag tip and double lock pin are made from heat treated alloy steel for high strength and durability. Compatible with all standard type handcuff locking mechanism. Offered in key ring and pocket clip styles. Available in silver or black finish.

